

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6681229").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:15
L2	2	("6886134").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:16
L3	2	("6029144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:18
L4	2	("6631380").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:19
L5	2	("6035300").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:24
L6	2	("20020184125").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:25
L7	2	("6971107").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:26
L8	1	("7197480").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:28

EAST Search History

L9	2	("7133868").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:29
L10	2	("20020099814").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:30
L11	2	("20020138281").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:31
L12	2	("7155403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:32
L13	2	("20020138658").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:32
S1	1	("6535294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 17:49
S2	1	("6834294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 17:52
S3	12	(company near1 group near1 identi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 17:54
S4	4	(company near1 group near1 identi\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:58

EAST Search History

S5	2	(company near2 group near1 identity) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:47
S6	33	(company near2 group) with profile\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 18:11
S7	2	(company near2 group near1 code) with profile\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 18:17
S8	1	("6834294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 18:17
S9	1	("6681229").PN.	USPAT; USOCR	OR	OFF	2005/10/18 18:17
S10	0	(location\$1 with (company near1 code\$3) with (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S11	0	(location\$1 same (company near1 code\$3) with (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S12	0	(location\$1 same (company near1 code\$3) same (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S13	5	(location\$1 same (compan\$3 near1 code\$3) same (location\$1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:59

EAST Search History

S14	5	(compan\$3 near1 code\$3) same (location\$1 near1 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:00
S15	29	(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:01
S16	3	(select\$3 near3 location\$1) same(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:03
S17	29	(location\$1) same(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:03
S18	22	(location\$1) same(compan\$3 near3 code\$3) with (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S19	3	(select\$3 near1 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S20	0	(choos\$3 near1 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S21	7	(select\$3 near2 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:07

EAST Search History

S22	2	(select\$3 near2 location\$1) same(compan\$3 with identif\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:08
S23	413	(location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:08
S24	32	(location\$1) same(compan\$3 near1 code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:12
S25	2	(location\$1) same(compan\$3 near1 code\$3) with (location\$1 near1 code\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:18
S26	0	(location\$1) same(compan\$3 near1 code\$3) with (geographic\$4 near1 code\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:13
S27	1	(location\$1) same(compan\$3 near1 code\$3) with (location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S28	1102	(location\$1) same(compan\$3 near1 code\$3) samw(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S29	1	(location\$1) same(compan\$3 near1 code\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19

EAST Search History

S30	1	(compan\$3 near1 code\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S31	1	(compan\$3 near1 identifier\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:21
S32	10	((user near1 profile) with location\$3) and company near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27
S33	0	((user near1 profile) same contains near1 location\$3) and company near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27
S34	0	((user near1 profile) same contains near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27
S35	0	((profile) same contains near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:28
S36	0	((profile) same includes near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:28
S37	49	((profile\$1) with location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:29

EAST Search History

S38	2	((profile\$1) with location\$3 near1 description) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:29
S39	0	((profile\$1) with location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:30
S40	1	((profile\$1) with location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:38
S41	7	((profile\$1) same location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:45
S42	13	(location\$3 with compan\$3 near1 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:51
S43	15379	(select\$3 near3 location) and code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S44	2401	(select\$3 near3 location) same code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S45	571	(select\$3 near3 location) same code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52

EAST Search History

S46	331	(select\$3 near3 location) with code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S47	42	(select\$3 near3 location) with location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:59
S48	52	(select\$3 near3 location) same location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:59
S49	52	(select\$3 near3 location\$1) same location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:40
S50	0	select\$1 with (compan\$1 near1 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:40
S51	9	select\$1 with (compan\$1 near3 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:41
S52	38	select\$3 with (compan\$1 near3 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:41
S53	12	select\$3 with (compan\$1 near1 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:42

EAST Search History

S54	5	select\$3 with (compan\$1 near1 location\$1) same code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S55	0	(compan\$1 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S56	1	(compan\$1 near4 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S57	1247	(location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:51
S58	31	(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:57
S59	0	profile\$1 with(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:51
S60	1	register\$1 with(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:52
S61	11	(select\$4 near1 area\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:59

EAST Search History

S62	8	(select\$4 near4 geographic\$3) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S63	134	(geographic\$3) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S64	134	(geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S65	1	profile\$1 with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:04
S66	0	(drop near4 list\$) with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:05
S67	8	(list\$) with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:06
S68	4	(webpage) with (geographic\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:07
S69	4	(webpage) with select\$3 with(location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:12

EAST Search History

S70	15	(webpage) same select\$3 with(location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:17
S71	4	(webpage) same (location\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S72	2	(webpage) same (area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S73	77	(webpage) and (area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S74	727	(webpage) and (select\$3 area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S75	0	(webpage) and (select\$3 near1 area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S76	1	(webpage) and (select\$3 near1 area\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:22
S77	3	(webpage) and (select\$3 near4 area\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:58

EAST Search History

S78	15	(webpage) and (area\$3 with associat\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:54
S79	1	("6477247").PN.	USPAT; USOCR	OR	OFF	2005/10/27 13:55
S80	1	("6304637").PN.	USPAT; USOCR	OR	OFF	2005/10/27 13:55
S81	1	(webpage) and (choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:59
S82	96	(choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01
S83	0	(choos\$3 near4 supplier near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01
S84	0	(choos\$3 near4 company near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01
S85	3	(choos\$3 near4 provider near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:02
S86	96	(choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09

EAST Search History

S87	1692	(choos\$3 near4 location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S88	1	(choos\$3 near4 company near1 location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S89	11	(profile\$1 with (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:12
S90	1005	(displaywith (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:12
S91	48	(display\$3 with (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:17
S92	7	(display\$3 with (compan\$4 with group with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S93	2	(display\$3 with (compan\$4 near1 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S94	16	((compan\$4 near1 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:22

EAST Search History

S95	31	((compan\$4 near2 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:25
S96	64	((compan\$4 near2 group\$1 same location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:48
S97	21249	((list same location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:48
S98	94	((list with compan\$3 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:49
S99	15	((select\$3 with list with compan\$3 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:50
S10 0	1590	((select\$3 with list with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:51
S10 1	4295	((select\$3 with list with location\$1)) compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:51
S10 2	14	((select\$3 with list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:53

EAST Search History

S10 3	0	((select\$3 with list with geographic\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:53
S10 4	1	((select\$3 with list with geographic\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:54
S10 5	14	((select\$3 with list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:54
S10 6	19	((select\$3 same list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:56
S10 7	22	((select\$3 same list with area\$3))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:58
S10 8	11	((display\$1 same list with location\$3))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:10
S10 9	12	(list with(company near1 code))and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:00
S11 0	0	("20020055878").PN.	USPAT; USOCR	OR	OFF	2005/10/28 09:01
S11 1	2	("20020055878").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:03

EAST Search History

S11 2	2	("20020138281").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:12
S11 3	2	("6418467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:12
S11 4	2	("6185545").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:20
S11 5	2	("20020055878").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:21
S11 6	1	("6631380").PN.	USPAT; USOCR	OR	OFF	2006/04/10 13:23
S11 7	1	("20020138281").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 13:23
S11 8	1	("20020055878").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 13:25
S11 9	1	("6535249").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 13:26
S12 0	1	("6535294").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 14:19
S12 1	1	("20040006633").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 15:52
S12 2	1	("4987355").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 15:56
S12 3	334093	lock	USPAT	OR	OFF	2006/04/10 15:56
S12 4	36	(lock with increment\$3 with index)	USPAT	OR	OFF	2006/04/10 15:58

EAST Search History

S12 5	64	(lock with increment\$3 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 15:58
S12 6	36	(lock with increment\$3 with index) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:17
S12 7	1	("4987355").PN.	USPAT; USOCR	OR	OFF	2006/04/10 16:35
S12 8	1	(lock with increment\$3 with index with queue) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:18
S12 9	0	(phase with increment\$3 with index with queue) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:18
S13 0	1	(lock\$3 with increment\$3 with index with queue) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:18
S13 1	2	(lock\$3 same increment\$3 with index with queue) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:18
S13 2	238849	((user\$1 consumer\$1 customer\$1 clients employee\$1) near2 ("id" "identification" identit\$4 identif\$3)) sam (compan\$1 near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 17:44
S13 3	524	((user\$1 consumer\$1 customer\$1 clients employee\$1) near2 ("id" "identification" identit\$4 identif\$3)) same (compan\$1 near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 17:45

EAST Search History

S13 4	42	(profile\$1 record\$1 entries folder\$1) with((user\$1 consumer\$1 customer\$1 clients employee\$1) near2 ("id" "identification" identit\$4 identif\$3)) same (compan\$1 near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 17:46
S13 5	42	(profile\$1 record\$1 entries folder\$1) with((user\$1 consumer\$1 customer\$1 clients employee\$1) near2 ("id" "identification" identit\$4 identif\$3)) same (compan\$1 near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 17:46
S13 6	35	(profile\$1 record\$1 entries folder\$1) with((user\$1 consumer\$1 customer\$1 clients employee\$1) near2 ("id" "identification" identit\$4 identif\$3)) with (compan\$1 near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:03
S13 7	2	("6185545").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 17:47
S13 8	197	(group near2 ("id" "identification" identit\$4 identif\$3)) with ((compan\$1 facilit\$3 organization\$1) near3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:05
S13 9	139	(group\$1 adj2 ("id" "identification" identit\$4 identif\$3)) with ((compan\$1 facilit\$3 organization\$1) adj3 ("id" "identification" identit\$4 identif\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:26
S14 0	0	((list with authoriz\$3 adj1 employee\$1) with services) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:27
S14 1	8	((list with authoriz\$3 adj1 user\$1) with services) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:31

EAST Search History

S14 2	1	((list with authoriz\$3 adj1 user\$1) with services) and (group\$1 with compan\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:31
S14 3	6	((list with authoriz\$3 adj1 user\$1) with services) and (group\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:34
S14 4	1213	(merg\$3 with profile\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:35
S14 5	151	(merg\$3 with profile\$1) and (creat\$3 with profiles)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:35
S14 6	8901	(merg\$3 with profile\$1) and (creat\$3 with profiles) group\$1 with (compan\$3 organization\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 18:36
S14 7	5	(merg\$3 with profile\$1) and (creat\$3 with profiles) and (group\$1 with (compan\$3 organization\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:32
S14 8	389	(receiv\$3 with list with authoriz\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:33
S14 9	4	(receiv\$3 with list with authoriz\$4 with employee\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:35

EAST Search History

S15 0	17	(receiv\$3 with list with authoriz\$4 adj1 users\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:35
S15 1	0	(receiv\$3 with list with authoriz\$4 adj1 users\$1) same services and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:56
S15 2	13	(receiv\$3 with list with authoriz\$4 adj1 users\$1) and services and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:48
S15 3	2	("6839680").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 08:48
S15 4	2710495	(transmit\$3 near3 merg\$3 (data files profiles))and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:57
S15 5	134	(transmit\$3 near3 merg\$3 near3(data files profiles))and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 08:59
S15 6	0	(transmit\$3 near3 merg\$3 near3(profiles))and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 10:01
S15 7	50	Callanan.inv. and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 10:02

EAST Search History

S15 8	608846	Callanan.inv. secure and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 10:02
S15 9	5	Callanan.inv. and secure and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 10:02
S16 0	113443	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) with (code\$2 ID numbers identit\$3 identificat\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:48
S16 1	42849	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:48
S16 2	43565	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:48
S16 3	457	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same group\$1 near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:24
S16 4	328	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with group\$1 near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:49

EAST Search History

S16 5	515	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:50
S16 6	20	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (profile\$1 record\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:51
S16 7	30	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (profile\$1 record\$1 structure\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:51
S16 8	2	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (profile\$1 record\$1 structure\$1) same (location\$1 geographic\$4 area\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:52
S16 9	6	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) with (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same (profile\$1 record\$1 structure\$1) same (location\$1 geographic\$4 area\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 13:56

EAST Search History

S17 0	10	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same (profile\$1 record\$1 structure\$1) same (location\$1 geographic\$4 area\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:22
S17 1	10	(compan\$3 organization\$1 business\$1 manufacture\$1 facult\$4 school\$1 vendor\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same (group\$1 member\$1) near2 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) same (profile\$1 record\$1 structure\$1) same (location\$1 geographic\$4 area\$1) near3 (code\$2 ID numbers identit\$3 identificat\$4 indici\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:23
S17 2	986	(company with group with (code\$1 id\$1 identification\$1 identit\$4 number\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:25
S17 3	20552463	(company near2 group with (code\$1 id\$1 identification\$1 identit\$4 number\$1)) with (compan\$3 near2 (code\$1 id\$1 identification\$1 identit\$4 number\$1)) idand @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:25
S17 4	52	(company near2 group with (code\$1 id\$1 identification\$1 identit\$4 number\$1)) with (compan\$3 near2 (code\$1 id\$1 identification\$1 identit\$4 number\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:26

EAST Search History

S17 5	41	(company near2 group with (code\$1 id\$1 identification\$1 identit\$4 number\$1 indicia\$1)) with (compan\$3 near2 (code\$1 id\$1 identification\$1 identit\$4 number\$1 indicia\$1)) and (location\$ area\$1 geographic\$4 cit\$4 town countr\$3 near3 (code\$1 id\$1 identification\$1 identit\$4 number\$1 indicia\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 14:50
S17 6	2	("6515683").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/24 18:48
S17 7	2	("7146408").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/24 18:48
S17 8	2	("5197011").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/24 18:49
S17 9	2	("6201966").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/24 18:49
S18 0	2	("6624388").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/24 18:50